ELSEVIER

Volume 290 Numbers 1–2, 30 August 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Some observations on mechanical activation of the CeO_2– ZrO_2–SiO_2 system L1
S.J. Kiss, S. Zec, S. Boskovic (Belgrade, Yugoslavia)

Phase evolution of Ti–6Al–4V during continuous heating L3
W. Sha, Z. Guo (Belfast, UK)

$Ca_{19}Mg_8H_{54}$, a new salt-like ternary metal hydride L8
B. Bertheville, K. Yvon (Genève, Switzerland)

Physics

Synthesis of melt-spun rare-earth transition-metal intermetallics with $Nd_3(Fe,Ti)_{29}$-type structure 1
M. Gjoka (Attiki, Greece), O. Kalogirou (Thessaloniki, Greece), V. Psycharis, D. Niarchos (Attiki, Greece), F. Leccabue, B.E. Watts, G. Bocelli (Parma, Italy)

A new ternary compound $YbZn_2As_2$ with mixed valency of Yb 6
A. Nateprov (Kishinev, Moldova), J. Cisowski, J. Heimann (Katowice, Poland), I. Mirebeau (Gif-sur-Yvette, France)

Magnetic anisotropy and spontaneous magnetostriction of RCuAl (R=Gd, Dy, Ho) 10
A.V. Andreev, P. Javorský (Prague, Czech Republic), A. Lindbaum (Vienna, Austria)

Canted antiferromagnetic structure of $HoPtGe_2$ 17
G. Papathanassiou, P.A. Kotsanidis, J.K. Yakinthos (Xanthi, Greece), W. Schäfer (Jülich, Germany)

Influence of manganese concentration on the ESR spectrum of Mn^{2+} in SrO 22
R.S. de Biasi, M.L.N. Grillo (Rio de Janeiro, Brazil)

Magnetic phase diagram of $CrTe_{1-x}Sb_x$ ($0.0 \leq x \leq 1.0$) 25
N. Suzuki, T. Kanomata, R. Konno (Tagajo, Japan), T. Kaneko, H. Yamauchi, K. Koyama, H. Nojiri, Y. Yamaguchi, M. Motokawa (Sendai, Japan)

Phase transitions and thermal properties of gadolinium trifluoride 30
S.V. Stankus, R.A. Khairulin, K.M. Lyapunov (Novosibirsk, Russia)

Chemistry

$BN_{0.5}O_{0.4}C_{0.1}$: Carbon- and oxygen-substituted hexagonal BN 34
L.A.J. Garvie, H. Hubert, P. Rez, P.F. McMillan, P.R. Buseck (Tempe, AZ, USA)

The magnetic structures of $Tl_xCr_5Se_8$ (x=1 and 0.2) as determined by neutron scattering 41
W. Bensch, C. Näther, O. Helmer (Kiel, Germany), C. Ritter (Grenoble, France)

Laser ablation synthesis of actinide selenide, oxide and oxide–selenide clusters: $AnSe_n^+$, $An_xO_m^+$ and $An_xO_mSe_n^+$ [An=U, Np, Pu] 52
J.K. Gibson (Oak Ridge, TN, USA)

The palladium–zirconium phase diagram 63
R.M. Waterstrat, A. Shapiro (Gaithersburg, MD, USA), A. Jeremie (Geneva, Switzerland)

Hydrogenation properties of complex alkali metal hydrides fabricated by mechano-chemical synthesis 71
L. Zaluski, A. Zaluska, J.O. Ström-Olsen (Montréal, Canada)

Effect of (Sr, Ba) substitution in $La_3Ga_5SiO_{14}$ and $La_3M_{0.5}Ga_{5.5}O_{14}$(M=$Nb^{5+}$, Ta^{5+}) crystals on their synthesis, structure and piezoelectricity 79
H. Takeda, T. Kato, V.I. Chani (Sendai, Japap), H. Morikoshi (Chiba, Japan), K. Shimamura, T. Fukuda (Sendai, Japan)

Study on the boundary structures in a series of lanthanide hexacyanoferrate(III) n-hydrates 85
W. Xiaoyu, Y. Yukawa, Y. Masuda (Niigata, Japan)

Synthesis, structure, and electronic properties of Cu_2SiQ_3 (Q=S, Se) 91
X.-a. Chen, H. Wada, A. Sato, H. Nozaki (Ibaraki, Japan)

Elsevier Science S.A.

Thermodynamic stability of barium thorate, $BaThO_3$, from a Knudsen effusion study 97
R. Mishra, M. Ali(Basu), S.R. Bharadwaj, A.S. Kerkar, D. Das, S.R. Dharwadkar (Mumbai, India)

An infrared study of some ruthenium containing mixed crystal quaternary metal hydrides 103
R.O. Moyer Jr., J.R. Wilkins, P. Ryan (Hartford, CT, USA)

Kinetic study on the surface treatment of a $Zr_{0.9}Ti_{0.7}Ni_{1.1}Co_{0.1}Mn_{0.6}V_{0.2}$ electrode with a boiling alkaline solution 110
W.-K. Choi, K. Yamataka, H. Inoue, C. Iwakura (Osaka, Japan)

Raman spectroscopic study of molten $SmCl_3$–ACl systems (A=Li, Na, K) 114
K. Fukushima, H. Yamoto, Y. Iwadate (Chiba, Japan)

Thermal properties of cerium and thorium tellurates 119
A. Banerjee, K. Krishnan, V. Venugopal (Mumbai, India)

A comparative study on the electrochemical performance of rapidly solidified and conventionally cast hydride electrode alloy $Zr(NiMnM)_{2.1}$ 124
K.Y. Shu, Y.Q. Lei, X.G. Yang, S.K. Zhang, L.S. Chen, G.L. Lu, Q.D. Wang (Hangzhou, P.R. China)

Ambient-temperature synthesis of metal-bearing ferrites: how and why? 129
O. Perales Perez, K. Tohji, Y. Umetsu (Sendai, Japan)

Metallurgy

Low temperature crystal structure of Ni–Mn–Ga alloys 137
B. Wedel, M. Suzuki, Y. Murakami, C. Wedel (Sendai, Japan), T. Suzuki (Miyagi, Japan), D. Shindo, K. Itagaki (Sendai, Japan)

The magnetic phase diagram of $DyFe_{12-x}Mo_x$ ($1.00 \leq x \leq 3.00$) 144
C.P. Yang, Y.Z. Wang, B.P. Hu, J.L. Wang, Z.X. Wang, Z.L. Jiang, C.L. Ma, J. Zhu (Beijing, P.R. China)

Standard enthalpies of formation of some 3d transition metal gallides by high temperature direct synthesis calorimetry 150
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. IV. Hexagonal $Zr_6FeAl_2D_x$ (x=1.3 and 5.6) with partially filled Fe_2P-type structure 157
V.A. Yartys (Kjeller, Norway and Lviv, Ukraine), H. Fjellvåg (Kjeller and Oslo, Norway), B.C. Hauback (Kjeller, Norway)

A contribution to the Al–Pd–Mn phase diagram 164
B. Grushko, M. Yurechko, N. Tamura (Jülich, Germany)

Solidification behaviour of water-cooled and subzero chilled cast iron 172
K.H.W. Seah (Singapore, Singapore), J. Hemanth, S.C. Sharma, K.V.S. Rao (Karnataka, India)

Kinetics and formation mechanism of amorphous $Fe_{52}Nb_{48}$ alloy powder fabricated by mechanical alloying 181
M.S. El-Eskandarany, A.A. Bahgat, N.S. Gomaa, N.A. Eissa (Cairo, Egypt)

Demixing tendencies in some Sn-based liquid alloys 191
O. Akinlade (Stuttgart, Germany), A.O. Boyo (Lagos, Nigeria), B.R. Ijaduola (Trieste, Italy and Abeokuta, Nigeria)

Calorimetric and structural analysis of the new phase $Al_{33}Ni_{16}Zr_{51}$ produced by direct synthesis and mechanical alloying . . . 197
O. Held, J.P. Braganti, F.A. Kuhnast (Vandoeuvre les Nancy, France)

Gibbs energy of formation of UPd_4(s) 203
R. Prasad, S. Dash, S.C. Parida, Z. Singh, V. Venugopal (Mumbai, India)

Structure and magnetic characterization of amorphous and crystalline Nd–Fe–Al alloys 209
X.Z. Wang, Y. Li, J. Ding, L. Si, H.Z. Kong (Singapore, Singapore)

Materials Science

Mapping the rule table of a 2-D probabilistic cellular automaton to the chemical physics of etching and deposition 216
J.A. Gurney (Montreal, Canada), E.A. Rietman, M.A. Marcus (Murray Hill, NJ, USA), M.P. Andrews (Montreal, Canada)

Formation of celsian from mechanically activated $BaCO_3$–Al_2O_3–SiO_2 mixtures 230
S. Bošković (Belgrade, Yugoslavia), D. Kosanović (Kraljevo, Yugoslavia), Dj. Bahloul-Hourlier, P. Thomas (Limoges, France), S.J. Kiss (Belgrade, Yugoslavia)

Magnetic study of the mixed orthotitanate $La_{1-x}Sm_xTiO_3$ ($0 \leqq x \leqq 1$) 236
K. Yoshii (Hyogo, Japan), A. Nakamura, H. Abe (Ibaraki, Japan)

Crystal growth and structure of $La_3M^{4+}Ga_5O_{14}$ (M=Ti, Zr, Hf) 244
H. Takeda, T. Kato, V.I. Chani, K. Shimamura, T. Fukuda (Sendai, Japan)

Hydrogenation behaviour with regard to storage capacity, kinetics, stability and thermodynamic behaviour of hydrogen storage composite alloys, $LaNi_5/La_2Ni_7$, $LaNi_3$ 250
S. Srivastava, O.N. Srivastava (Varanasi, India)

Comparative study of steel alloys using STM and XRD 257
M. Brezenitsky, R. Moreh, D. Dayan, G. Kimmel (Beer-Sheva, Israel)

Mechanically alloyed $MmNi_5$-type materials for metal hydride electrodes 262
M. Jurczyk, W. Rajewski, W. Majchrzycki, G. Wójcik (Poznań, Poland)

Influence of carbon impurity on microstructures and electrode properties for V-based battery alloys 267
J. Shi, T. Sakai, H.T. Takeshita, N. Kuriyama (Osaka, Japan), M. Tsukahara (Aichi, Japan)

The influence of the growth conditions on the structural and optical properties of hydrogenated amorphous silicon carbide thin films 273
L. Wang (Nanjing, P.R. China), J. Xu (Nanjing and Shanghai, P.R. China), T. Ma, W. Li, X. Huang, K. Chen (Nanjing, P.R. China)

Influence of process control agent on interdiffusion between Al and Mg during mechanical alloying 279
L. Lu, Y.F. Zhang (Singapore, Singapore)

Crystallization and microstructural characterization of ZrO_2 (3 mol% Y_2O_3) nano-sized powders with various Al_2O_3 contents . 284
M. Yoshimura, S.-T. Oh, M. Sando (Nagoya, Japan), K. Niihara (Osaka, Japan)

Influence of heat treatment on tensile response of an oxide dispersion strengthened copper 290
M. Al-Hajri, A. Melendez, R. Woods, T.S. Srivatsan (Akron, OH, USA)

Preparation of the single phase $LaBa_2Cu_3O_y$ superconductor with $T_c(0)=97$ K and suppression of the substitution of La for Ba 298
F. Tao, G.C. Che, G.D. Liu, Z.X. Zhao, F. Wu, H. Chen, S.L. Jia, C. Dong (Beijing, P.R. China)

Structural evolution of alumina membrane prepared on an alumina support using a sol–gel method 304
H. Cheong, W.-S. Cho (Seoul, South Korea), J.-S. Ha (Gyungbuk, South Korea), C.-S. Kim, D.-K. Choi, D.-S. Cheong (Seoul, South Korea)

Author Index of Volume 290 310

Subject Index of Volume 290 311

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**